Color: Blue

Revision Date: 01-24-2023



SECTION 1 – IDENTIFICATION				
PRODUCT NAME	Ames'® Blue Max® Tile and Floor			
OTHER MEANS OF IDENTIFICATION	BMX3.5TILE			
END USE	Rubber paint like coating, water borne dispersion			
MANUFACTURER	Ames Research Laboratories, Inc.			
	Salem, Oregon 97302			
	Corporate Office:			
	1891 16 th Street SE			
	Salem, Oregon 97302-1436			
	(503) 588-3330			
EMERGENCY PHONE NUMBER	1-888-345-0809 or Chemtrec 1-800-424-9300			

SECTION 2 – HAZARD IDENTIFICATION						
CLASSIFICATION	Acute Toxicity, Dermal – 5:					
	Serious Eye Damage/Eye Irritation – 2B:					
SIGNAL WORD	WARNING					
HAZARD STATEMENT	May be harmful in contact with skin					
	Causes eye irritation					
HAZARD PICTOGRAMS	N.A. – No Symbol					
LABEL ELEMENTS	Signal Word- WARNING					
	Hazard Statement-					
	-May be harmful in contact with skin					
	-Causes eye irritation					
	Precautionary Statements-					
	-GENERAL-Wear protective gloves/protective clothing/eye protection/face protection breathing dust/fume/gas/mist/vapor/spray. Use in well-ventilated area. If hands or other body parts come in contact, wash thoroughly after handling.					
	-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. If eye irritation persists: Get medical attention from a physician.					
	-IF ON SKIN: Call a POISION CENTER or doctor/physician if you feel unwell.					
PRECAUTIONARY STATEMENT(S)	Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing dust/fume/gas/mist/vapor/spray. Use in well-ventilated area. If hands or other body parts come in contact, wash thoroughly after handling.					
	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. If eye irritation persists: Get medical attention from a physician.					
	IF ON SKIN: Call a POISION CENTER or doctor/physician if you feel unwell.					
HAZARDS NOT OTHERWISE CLASSIFIED	N.A.					

Ames'® Blue Max® Tile and Floor

Product Name (as used on Label and List)

Color: Blue

Revision Date: 01-24-2023



GHS Safety Data Sheets (SDS)

SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS					
SUBSTANCE / MIXTURE	Mixture				
OTHER MEANS OF IDENTIFICATION	N. A.				
CAS # / IDENTIFIERS					
INGREDIENT NAME	% BY WEIGHT	CAS NUMBER			
Proprietary Polymer*	75 – 90 %	Proprietary			
Water	5 – 20 %	7732-18-5			

Any concentrations shown in a range are to protect trade secret confidentiality or is due to batch variation. There are no additional ingredients present, which within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health and hence require reporting in this section.

^{*} A specialty formulated water-base man-made rubber technology.

SECTION 4 – FIRST AID MEASURES				
DESCRIPTION OF NECESSARY FIRST AID MEASURES				
EYE CONTACT	Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do so while rinsing. If eye irritation persists: Get medical attention from a physician.			
INHALATION	Remove affected individual(s) to fresh air. Get medical attention from a physician if breathing difficulty develops.			
SKIN CONTACT	Wash skin with soap and water. Remove contaminated clothing. Get medical attention if irritation develops. Wash contaminated clothes before reuse.			
INGESTION	If swallowed, rinse mouth thoroughly. Do not induce vomiting. Never give anything by mouth to an unconscious person. Seek medical attention if irritation persists or if concerned.			
MOST IMPORTANT SYMPTOMS / EFFEC	CTS, ACUTE AND DELAYED			
EYE CONTACT	May cause eye irritation			
INHALATION	With good ventilation, exposure to vapors not expected to cause adverse effects.			
SKIN CONTACT	Prolonged skin exposure may cause skin irritation.			
INGESTION	No hazards anticipated from swallowing small incidental amounts during use of this product.			
INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDS, IF NECESSARY				
EYE CONTACT	N/A			
INHALATION	N/A			
SKIN CONTACT	N/A			
INGESTION	N/A			

SECTION 5 – FIRE FIGHTING MEASURES			
EXTINGUISHING MEDIA: SUITABLE MEDIA	To extinguish combustible residues of this product, use water fog, CO2, dry chemical, chemical		
	foam or alcohol-resistant foam		
EXTINGUISHING MEDIA: UNSUITABLE MEDIA	N/A		
SPECIFIC HAZARDS ARISING FROM THE	Under fire conditions, some components of this product may decompose. The smoke may		
CHEMICAL	contain unidentified toxic and/or irritating compounds. Hazardous combustion products may		
	include and are not limited to hydrocarbons, CO and dense smoke.		
SPECIAL PROTECTIVE ACTIONS FOR FIRE-	Keep people away. Isolate fire area and deny unnecessary entry. Containers of this material may		
FIGHTERS	build up pressure if exposed to heat (fire). Use water spray to cool fire-exposed containers.		
SPECIAL EQUIPMENT FOR FIRE-FIGHTERS	Wear self-contained breathing apparatus (SCBA) and full fire-fighting protective clothing. If		
	protective equipment is not available or not used, fight fire from a protected location or safe		
	distance.		

Color: Blue

Revision Date: 01-24-2023



SECTION 6 – ACCIDENTAL RELEASE MEASURES				
PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES				
FOR NON-EMGERGENCY PERSONNEL	Avoid unnecessary exposure or contact. Barricade the area to restrict access. Personnel not wearing protective equipment (see Section 8) should be excluded from the area of the spill until cleanup has been completed.			
FOR EMERGENCY PERSONNEL	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.			
ENVIRONMENTAL PRECAUTIONS	Stop leak at source when it is safe to do so. Dike and contain spill. Prevent spilled material from contaminating soil or entering drains, sewers, streams or other bodies of water.			
METHODS AND MATERIALS FOR CONTAINM	ENT AND CLEANING UP			
LARGE SPILLS	Avoid dilution with water to minimize the extent of the spill. Recover and recycle spilled product if possible, otherwise, collect with absorbent material and transfer to appropriate containers for disposal. Water may be used for final cleaning of the affected area.			
SMALL SPILLS	Same procedures as listed above for large spills.			

SECTION 7 – HANDLING AND STORAGE	
PRECAUTIONS FOR SAFE HANDLING	
PROTECTIVE MEASURES	Use in a well ventilated area. Keep out of reach of children. If user operations generate dust, fume, or mist, use ventilation to keep exposure to airborne contaminants below the respective exposure limits. Use goggles and gloves. Similar to most latex paints.
GENERAL HYGIENE	Practice reasonable care to avoid repeated, prolonged skin contact. Wash thoroughly after handling. Do not eat, drink, smoke or use personal products when handling chemical substances.
CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATABILITIES	Store at temperatures between 40° F (4.4° C) and 110° F (43.3° C). Keep container closed when not in use. PROTECT FROM FREEZING.

SECTION 8 – EXPOSURE CONTROL/PERSONAL PROTECTION					
OCCUPATIONAL EXPOSURE LIMITS					
	OSHA PEL 8-HR TWA	OSHA PEL	ACGIH TLV-TWA	ACGIH TLV-STEL	
		STEL/Ceiling			
Proprietary Polymer	N.E.	N.E.	N.E.	N.E.	
CONTROLS					
OCCUPATIONAL EXPOSURE LIMITS	There are no exposure limits assigned to the polymer in this product by the Occupational Safety and Health				
	Administration (OSHA) or American Conference of Governmental Industrial Hygienists (ACGIH).				
ENGINEERING CONTROLS	Good general ventilation should be sufficient for most conditions.				
PERSONAL PROTECTIVE	Wear safety glasses with side shields or safety goggles. Wear clean, long-sleeved, body-covering clothing.				
EQUIPMENT	Nitrile, Neoprene®, or rubber gloves should provide protection against skin contact. For most conditions, no				
	respiratory protection should be needed; however, if material is heated or sprayed, or areas are poorly				
	vented, wear an approved air-purifying respirator.				

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES		
APPEARANCE		
PHYSICAL STATE	Liquid	
COLOR	Blue	
ODOR	Slight odor	
ODOR THRESHOLD	N/A	
pH	9.0 – 10	
MELTING POINT	N/A	
BOILING POINT	212° F (100° F)	
FREEZING POINT	32° F (0° C)	

Color: Blue

Revision Date: 01-24-2023



SECTION 10 – STABILITY AND REACTIVITY				
REACTIVITY	This pr	roduct is not reactive under normal conditions.		
		roduct is stable under normal storage conditions and during its intended use.		
POSSIBILITY OF HAZARDOUS REACTION	Will no	ot occur under normal conditions.		
CONDITIONS TO AVOID	Avoid 1	freezing temperatures (less than 32° F or 0° C). Long term exposure to elevated		
		eratures.		
INCOMPATIBLE MATERIALS		on of chemicals, such as acids or multivalent metal salts, may cause coagulation.		
HAZARDOUS DECOMPOSITION PRODUCTS		dous decomposition products depend upon temperature, air supply and the presence		
		er materials. Thermal decomposition may produce various hydrocarbons and irritating,		
	acrid v	· ·		
FLASH POINT		N.A.		
EVAPORATION RATE		N/A		
FLAMMABILITY (SOLID, GAS)		N/A		
UPPER / LOWER FLAMMABILITY OR EXPLOSIVE I	_IMITS	N.A.		
VAPOR PRESSURE		N/A		
VAPOR DENSITY		N/A		
RELATIVE DENSITY		N/A		
SOLUBILITY(IES)		Product is sold as dilutable. Polymer component is insoluble.		
PARTITION COEFFICIENT: N-OCTANOL / WATER		N/A		
AUTO-IGNITION TEMPERATURE		N.A.		
DECOMPOSITION TEMPERATURE		> 177°C		
VISOCITY		4000-5000 cps		
SPECIFIC GRAVITY		0.98 – 1.04		

SECTION 11 – TOXICOLOGICAL INFORMATION				
INFORMATION ON TOXICOLOGICAL EFFECTS				
ACUTE TOXICITY	May cause slight transient (temporary) eye irritation. Corneal injury unlikely. Short single exposure not likely to cause significant skin irritation. Prolonged and repeated exposure may cause slight skin irritation. Material may stick to skin causing irritation upon removal. A single, prolonged exposure is not likely to result in the material being absorbed through skin in harmful amounts. With good ventilation, a single exposure to vapors is not expected to cause adverse effects. Single dose oral toxicity is considered to be extremely low. No hazards anticipated from swallowing small amounts incidental to normal handling operations.			
IRRITATION / CORROSION	May cause slight irritation to skin and eyes.			
SENSITIZATION	N.A.			
MUTAGENICITY	N.A.			
CARCINOGENICITY	N.A.			
REPRODUCTIVE TOXICITY	N.A.			
TETRAOGENICITY	N.A.			
SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE)	N.A.			
SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE)	N.A.			
ASPIRATION HAZARD	N.A.			
INFORMATION ON LIKELY ROUTES OF EXPOSURE	Dermal is likely route of exposure.			
POTENTIAL ACUTE HEALTH EFFECTS				
EYE CONTACT	May cause slight transient (temporary) eye irritation.			

Color: Blue

Revision Date: 01-24-2023



INHALATION		With good ventilation, a single exposure to vapors is not expected to cause adverse effects.			
SKIN CONTACT		Short single exposure not likely to cause significant skin irritation. Prolonged and repeated exposure may cause slight skin irritation. Material may stick to skin causing irritation upon removal. A single, prolonged exposure is not likely to result in the material being absorbed through skin in harmful amounts.			
INGESTION				to be extremely low. No hazards anticipated ntal to normal handling operations.	
SYMPTOMS RELATED TO THE PHYSICAL					
EYE CONTACT		V/A	PEOGLOAL OFFICIAL OFFICE	,,,	
INHALATION		V/A			
SKIN CONTACT		V/A			
INGESTION		V/A			
DELAYED AND IMMEDIATE EFFECTS AN			TS FROM SHORT AND LONG	TERM EXPOSURE	
SHORT TERM EXPOSURE - POTENTIAL I EFFECTS		N/A			
SHORT TERM EXPOSURE – POTENTIAL DELAYED EFFECTS		N/A			
LONG TERM EXPOSURE – POTENTIAL IMMEDIATE EFFECTS		N/A			
LONG TERM EXPOSURE – POTENTIAL DELAYED EFFECTS		N/A			
POTENTIAL CHRONIC HEALTH EFFECTS	1				
GENERAL	N	N.A.			
CARCINOGENICITY	N	N.A.			
MUTAGENICITY	N	N.A.			
TERATOGENCITY	N	N.A.			
DEVELOPMENTAL EFFECTS		N.A.			
FERTILITY EFFECTS		N.A.			
NUMERICAL MEASURES OF TOXICITY (ACUTE TOXICITY		N.A.			
ESTIMATE)					
TOXICOLOGICAL DATA:					
INGREDIENT	ORAL RAT (LD50))	SKIN RABBIT (LD50)	INHALATION RAT (LC50)	
Proprietary Polymer	N/A		N/A	N/A	

SECTION 12 – ECOLOGICAL INFORMATION	
TOXICITY	Based largely or completely on information for similar material(s): Material is practically non-toxic to aquatic organisms on an acute basis (LC50 or EC50 > 100 mg/L in the most sensitive species tested).
PERSISTENCE AND DEGARDABILITY	The polymeric component is not expected to biodegrade.
BIOACCUMULATIVE POTENTIAL	N/A
MOBILITY IN SOIL	Not expected due to the product's high molecular weight.
OTHER ADVERSE EFFECTS	N/A

SECTION 13 – DISPOSAL CONSIDERATIONS	
DISPOSAL CONSIDERATIONS	Do not dump into any sewers, on the ground, or into any body of water. All disposal methods must be in compliance with all Federal/State/Provincial and local laws and regulations. Waste characterizations and compliance with applicable laws are solely the responsibility of the waste generator.

Color: Blue

Revision Date: 01-24-2023



GHS Safety Data Sheets (SDS)

SECTION 14 – TRANSPORTATION INF	ORMATION				
Department of Transportation (DOT) - US			This product is not regulated by the DOT.		
Transportation of Dangerous Goods (TDG) - Canada			This product is not regulated by the TDG.		
	DOT Classification	TDG Classification	Mexico Classification	IMDG	IATA
UN NUMBER	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN PROPER NAME	-	-	-	-	-
PACKING GROUP	-	-	-	-	-
TRANSPORT HAZARD CLASS(ES)	-	-	-	-	-
ENVIRONMENTAL HAZARDS	No.	No.	No.	No.	No.
ADDITIONAL INFORMATION	Special Provisions Not Applicable	Special Provisions Not Applicable	Special Provisions Not Applicable	Emergency Schedules (Ems) Not Applicable	Special Provisions Not Applicable
SPECIAL PRECATIONS FOR USERS: Multi-model shipping des container sizes. The pres (sea, air, etc.), does not i transport. All packaging r with the applicable regula transport. People loading deriving from the substar			ence of a shipping des ndicate that the produc nust be reviewed for su tions is the sole respon and unloading danger ces and on all actions	cription for a particula t is packaged suitably itability prior to shipm nsibility of the person ous goods must be tr	ar mode of transport If or the mode of hent, and compliance offering the product for ained on all of the risks
TRANSPORT IN BULK ACCORDING TO THE IBC CODE	O ANNEX II OF MAR	POL II 73/78 AND	N.A		
PROPER SHIPPING NAME			N.A		
SHIP TYPE		N.A			
POLLUTION CATEGORY			N.A		

SECTION 15 - REGULATORY INFOR	RMATION
U.S. FEDERAL REGULATION	
OSHA	Not classified as hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200)
CERCLA – SARA HAZARD	This product has been reviewed according to the EPA "Hazard Categories" promulgated under Sections 311
CATEGORY	and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered,
	under applicable definitions, to meet the following category: None.
SARA SECTION 313	This product does not contain toxic chemical(s) at or above the de minimus concentrations subject to the
	reporting requirements of section 313 of Title III Superfund Amendment and Reauthorization Act of 1986 and
	40 CFR part 372.
TOXIC SUBSTANCES CONTROL	TSCA Section 8(b) – Inventory Status: All components of this material are listed on or exempt from the
ACT	TSCA inventory.
CALIFORNIA PROP. 65	This product may contain chemical(s) known to the state of California to cause cancer and/or birth defects or
	other reproductive harm.
INTERNATIONAL REGULATIONS	
CANADIAN EPA	This product complies with Domestic Substance List of the Canadian Environmental Agency.
CANADIAN WHMIS CLASS	This material is not classified as a controlled product under the WHMIS.
	Canadian Inventory Status: All components of this material are listed on the Canadian Domestic Substances
	List (DSL). Additional Canadian Regulatory Information: This product does not contain a substance present
	on the WHMIS Ingredient Disclosure List (IDL) at or above the specified concentration limit.

Obsolete 1 day after Page 6 of 7 8.2-SBMF 01-24-23

Color: Blue

Revision Date: 01-24-2023



GHS Safety Data Sheets (SDS)

SECTION 16 – OTHER INFORMATIO	N			
HMIS RATINGS	HEALTH	FLAMMABILITY	REACTIVITY	PERSONAL PROTECTION
	1	0	0	В

EUROPEAN PRECAUTIONARY PICTOGRAMS General:





If spraying or in poorly ventilated area:













PREVIOUS SDS REVISION DATE	05/04/2020		
REASON FOR REVISION	N/A		
VOLATILE ORGANIC COMPOUNDS (VOC'S)	N/A		
LEGEND	N.A. – Not Applicable, N.E. – Not Established, N.D. – Not Determined		
ABBREVIATIONS USED	N/A – Information or data not available, NTP – National Toxicological Program, IARC – International Agency for Research on Cancer, NIOSH – National Institute of Occupational Safety and Health, PEL – Permissible Exposure Limit (8-hour TWA OSHA), TLV – Threshold Limit Value (8-Hour TWA ACGIH), STEL – Short Term Exposure Limit (15 min. TWA OSHA), C – Ceiling Value		
NOTICE TO READER	It is recommended that each customer or recipient of this Safety Data Sheet (SDS) study it carefully and consult resources, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with the product. This information is provided in good faith and believed to be accurate as of the effective date herein. However, no warranty, express or implied, is given, the information presented here applies only to the product as shipped. The addition of a material can change the composition, hazards and risks of the product. Regulatory requirements are subject to change and may differ between various locations and jurisdictions. The customer/buyer/user is responsible to ensure that their activities comply with all country, federal, state, provincial or local laws. The conditions for use of the product are not under the control of the manufacturer; the customer/buyer/user is responsible to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer specific SDS, the manufacturer cannot be responsible for the SDS's obtained from any other source. Note: This information must be included in all SDS that are copied and distributed for this material.		

END OF SAFETY DATA SHEET